

References

1. Leden Hv. The History of Phonosurgery. In: Ford CN, Bless DM (Hrsg.). *Phonosurgery*. Philadelphia, PA: Raven Press, 1991:
2. Schutte HK, Svec JG, Sram F. First results of clinical application of videokymography. *Laryngoscope* 1998; 108: 1206-1210
3. Svec JG, Schutte HK. Videokymography: high-speed line scanning of vocal fold vibration. *Journal of Voice* 1996; 10: 201-205
4. Eysholdt U, Tigges M, Wittenberg T, Pröschel U. Direct evaluation of high-speed recordings of vocal fold vibrations. *Folia Phoniatrica et Logopedica* 1996; 48: 163-170
5. Gray SD. Cellular physiology of the vocal folds. *Otolaryngologic Clinics of North America* 2000; 33: 679-698
6. Hirano M. Clinical examination of voice. Wien New York: Springer-Verlag, 1981: 100
7. Dikkers FG, Nikkels PG. Benign lesions of the vocal folds: histopathology and phonotrauma. *Ann Otol Rhinol Laryngol* 1995; 104: 698-703
8. Dejonckere PH, Bradley P, Clemente P, Cornut G, Crevier-Buchman L, Friedrich G, Van De Heyning P, Remacle M, Woisard V, Committee on Phoniatrics of the European Laryngological Society. A basic protocol for functional assessment of voice pathology, especially for investigating the efficacy of (phonosurgical) treatments and evaluating new assessment techniques. Guideline elaborated by the Committee on Phoniatrics of the European Laryngological Society (ELS). *European Archives of Oto-Rhino-Laryngology* 2001; 258: 77-82
9. Nawka T, Anders LC, Wendler J. Die auditive Beurteilung heiserer Stimmen nach dem RBH-System. *Sprache Stimme Gehör* 1994; 18: 130-133
10. Sulter AM, Schutte HK, Miller DG. Standardized laryngeal videostroboscopic rating: differences between untrained and trained male and female subjects, and effects of varying sound intensity, fundamental frequency, and age. *Journal of Voice* 1996; 10: 175-189
11. Sodersten M, Hertegard S, Hammarberg B. Glottal closure, transglottal airflow, and voice quality in healthy middle-aged women. *Journal of Voice* 1995; 9: 182-197
12. Fröhlich M, Michaelis D, Strube HW, Kruse E. Acoustic voice analysis by means of the hoarseness diagram. *Journal of Speech, Language, & Hearing Research* 2000; 43: 706-720
13. Wuyts FL, De Bodt MS, Molenberghs G, Remacle M, Heylen L, Millet B, Van Lierde K, Raes J, Van de Heyning PH. The dysphonia severity index: an objective measure of vocal quality based on a multiparameter approach. *Journal of Speech, Language, & Hearing Research* 2000; 43: 796-809
14. Jiang J, Stern J, Chen HJ, Solomon NP. Vocal efficiency measurements in subjects with vocal polyps and nodules: a preliminary report. *Annals of Otology, Rhinology & Laryngology* 2004; 113: 277-282
15. Spector BC, Netterville JL, Billante C, Clary J, Reinisch L, Smith TL. Quality-of-life assessment in patients with unilateral vocal cord paralysis. *Otolaryngology - Head & Neck Surgery* 2001; 125: 176-182
16. Benninger MS, Ahuja AS, Gardner G, Grywalski C. Assessing outcomes for dysphonic patients. *Journal of Voice* 1998; 12: 540-550
17. Nawka T, Wiesmann U, Gonnermann U. Validierung des Voice Handicap Index (VHI) in der deutschen Fassung. *HNO* 2003; 51: 921-930
18. Omori K, Kacker A, Slavit DH, Blaugrund SM. Quantitative videostroboscopic measurement of glottal gap and vocal function: an analysis of thyroplasty type I. *Annals of Otology, Rhinology & Laryngology* 1996; 105: 280-285
19. McLean-Muse A, Montgomery WW, Hillman RE, Varvares M, Bunting G, Doyle P, Eng J. Montgomery Thyroplasty Implant for vocal fold immobility: phonatory outcomes. *Annals of Otolaryngology, Rhinology & Laryngology* 2000; 109: 393-400
20. Jacobson BH, Johnson A, Grywalski C, Silbergliet A, Jacobson G, Benninger MS, Newman C. The Voice Handicap Index (VHI): Development and Validation. *American Journal of Speech-Language Pathology* 1997; 6: 66-70
21. Nawka T, Franz S, Voigt P, Cebulla M. Beurteilung von Ergebnissen nach indirekter phonochirurgischer Mikrolaryngoskopie. In: Gross M (Hrsg.). *Aktuelle phoniatrisch-pädaudiologische Aspekte*. Berlin: Renate Gross Verlag, 1996: 82-84
22. Eckel EH, Glanz H, Hess M, Nawka T, Schultz-Coulon HJ. *Phoniatrie und HNO-Heilkunde zum Thema: Diagnostische und therapeutische Probleme bei organischen Stimmstörungen*. Laryngo- Rhino- Otologie 2003; 82: 756-757
23. Wendler J, Seidner W. Ergebnisse operativer Behandlung von Knötchen und Polypen der Stimmlippen bei Erwachsenen. *Folia Phoniatrica* 1971; 23: 429-439
24. Wendler J, Seidner W, Halbedl G, Schaaf G. *Tele-Mikrostroboskopie*. *Folia Phoniatrica* 1973; 25: 281-287
25. Seidner W. Indirekte Mikro-Phonochirurgie. *Laryngo- Rhino- Otologie* 2000; 79: 673-674
26. Vaughan CW. Vocal fold exposure in phonosurgery. *J Voice* 1993; 7: 189-194
27. Zeitels SM, Vaughan CW. „External counterpressure“ and „internal distention“ for optimal laryngoscopic exposure of the anterior glottal commissure. *Annals of Otology, Rhinology & Laryngology* 1994; 103: 669-675
28. Benjamin B, Lindholm CE. Systematic direct laryngoscopy: the Lindholm laryngoscopes. *Annals of Otology, Rhinology & Laryngology* 2003; 112: 787-797
29. Friedrich G, Mausser G, Nemeth E. Entwicklung eines Jet-Tracheoskops. Wer-

- tigkeit und Einsatzmöglichkeiten der superponierten Hochfrequenz-Jet-Ventilation (SHFJV) in der endoskopischen Chirurgie der Atemwege. *HNO* 2002; 50: 719-726
30. Sataloff RT, Spiegel JR, Heuer RJ, Barroody MM, Emerich KA, Hawkshaw MJ, Rosen DC. Laryngeal mini-microflap: a new technique and reassessment of the microflap saga. *Journal of Voice* 1995; 9: 198-204
31. Hochman II, Zeitels SM. Phonosurgical management of vocal fold polyps: the subepithelial microflap resection technique. *Journal of Voice* 2000; 14: 112-118
32. Zeitels SM, Hillman RE, Franco RA, Bunting GW. Voice and treatment outcome from phonosurgical management of early glottic cancer. *Annals of Otology, Rhinology, & Laryngology - Supplement* 2002; 190: 3-20
33. Remacle M. personal communication. 2004:
34. Benninger MS, Alessi D, Archer S, Bastian R, Ford C, Koufman J, Sataloff RT, Spiegel JR, Woo P. Vocal fold scarring: current concepts and management. *Otolaryngology - Head & Neck Surgery* 1996; 115: 474-482
35. Sasaki CT, Leder SB, Petcu L, Friedman CD. Longitudinal voice quality changes following Isshiki thyroplasty type I: the Yale experience. *Laryngoscope* 1990; 100: 849-852
36. Snoeck R, Wellens W, Desloovere C, Van Ranst M, Naesens L, De Clercq E, Feenstra L. Treatment of severe laryngeal papillomatosis with intralesional injections of cidofovir [(S)-1-(3-hydroxy-2-phosphonylmethoxypropyl)cytosine]. *Journal of Medical Virology* 1998; 54: 219-225
37. Silver RD, Rimell FL, Adams GL, Derkay CS, Hester R. Diagnosis and management of pulmonary metastasis from recurrent respiratory papillomatosis. *Otolaryngology - Head & Neck Surgery* 2003; 129: 622-629
38. Snoeck R, Andrei G, De Clercq E. Cidofovir in the treatment of HPV-associated lesions. *Verhandelingen - Koninklijke Academie voor Geneeskunde van Belgie* 2001; 63: 93-120
39. Nawka T, Hildebrandt T, Jantschak J, Flügel W. Verlauf der laryngealen Papillomatose - Bericht über 104 Fälle. *Lasermedizin* 1993; 9: 26-34
40. Pasquale K, Wiatrak B, Woolley A, Lewis L. Microdebrider versus CO₂ laser removal of recurrent respiratory papillomas: a prospective analysis. *Laryngoscope* 2003; 113: 139-143
41. Derkay CS. Recurrent respiratory papillomatosis. *Laryngoscope* 2001; 111: 57-69
42. Remacle M, Eckel HE, Antonelli A, Brasnu D, Chevalier D, Friedrich G, Olofsson J, Rudert HH, Thumfart W, de Vincentiis M, Wustrow TP. Endoscopic cordeectomy. A proposal for a classification by the Working Committee, European Laryngological Society. *European Archives of Oto-Rhino-Laryngology* 2000; 257: 227-231
43. Damm M, Sittel C, Streppel M, Eckel HE. Transoral CO₂ laser for surgical management of glottic carcinoma *in situ*. *Laryngoscope* 2000; 110: 1215-1221
44. LeJeune FE, Jr. Intralaryngeal surgery 1977. *Laryngoscope* 1977; 87: 1815-1820
45. Meyers AD, Kuzela DC. Dose-response characteristics of the human larynx with carbon dioxide laser radiation. *Am J Otolaryngol* 1980; 1: 136-140
46. Shapshay SM, Rebeiz EE, Bohigian RK, Hybels RL. Benign lesions of the larynx: should the laser be used? *Laryngoscope* 1990; 100: 953-957
47. Fitzpatrick RE, Ruiz-Esparza J, Goldman MP. The depth of thermal necrosis using the CO₂ laser: a comparison of the superpulsed mode and conventional mode. *J Dermatol Surg Oncol* 1991; 17: 340-344
48. Remacle M, Hassan F, Cohen D, Lawson G, Delos M. New computer-guided scanner for improving CO₂ laser-assisted microincision. *Eur Arch Otorhinolaryngol* 2004;
49. Benninger MS. Microdissection or microspot CO₂ laser for limited vocal fold benign lesions: a prospective randomized trial.[erratum appears in *Laryngoscope* 2000 Apr;110(4):696]. *Laryngoscope* 2000; 110: 1-17
50. Keilmann A, Biermann G, Hörmann K. CO₂-Laser versus konventionelle Mikrolaryngoskopie bei gutartigen Veränderungen der Stimmlippe. *Laryngorhino-Otologie* 1997; 76: 484-489
51. Hörmann K, Baker-Schreyer A, Keilmann A, Biermann G. Functional results after CO₂ laser surgery compared with conventional phonosurgery. *Journal of Laryngology & Otology* 1999; 113: 140-144
52. Nawka T, Haake K. Laserchirurgische Erfahrungen in der HNO-Heilkunde. *Zeitschrift für ärztliche Fortbildung* (Jena) 1990; 84: 280-284
53. Ward PH, Berci G, Calcaterra TC. Superior laryngeal nerve paralysis an often overlooked entity. *Transactions - American Academy of Ophthalmology & Otolaryngology* 1977; 84: 78-89
54. Lee SK, Park K, Kong DS, Cho YS, Baek CH, Nam DH, Lee JI, Hong SC, Shin HJ, Eoh W, Kim JH. Surgical tactics and outcome of treatment in jugular foramen schwannomas. *Journal of Clinical Neuroscience* 2001; 8 Suppl 1: 32-39
55. Krasnianski M, Neudecker S, Schluter A, Zierz S. Avellis-Syndrom bei Hirnstammischämen. *Fortschritte der Neurologie-Psychiatrie* 2003; 71: 650-653
56. Laccourreye O, Papon JF, Kania R, Menard M, Brasnu D, Hans S. Paralyses laryngees unilaterales: données épidémiologiques et évolution thérapeutique. *Presse Medicale* 2003; 32: 781-786
57. Gacek M, Gacek RR. Cricoarytenoid joint mobility after chronic vocal cord paralysis. *Laryngoscope* 1996; 106: 1528-1530
58. Friedrich G, de Jong FI, Mahieu HF, Benninger MS, Isshiki N. Laryngeal

- framework surgery: a proposal for classification and nomenclature by the Phonosurgery Committee of the European Laryngological Society. *European Archives of Oto-Rhino-Laryngology* 2001; 258: 389-396
59. Carrau RL, Pou A, Eibling DE, Murry T, Ferguson BJ. Laryngeal framework surgery for the management of aspiration. *Head & Neck* 1999; 21: 139-145
60. Flint PW, Purcell LL, Cummings CW. Pathophysiology and indications for medialization thyroplasty in patients with dysphagia and aspiration. *Otolaryngology - Head & Neck Surgery* 1997; 116: 349-354
61. Abdel-Aziz MF, el-Hak NA, Carding PN. Thyroplasty for functional rehabilitation of the incompetent larynx. *Journal of Laryngology & Otology* 1998; 112: 1172-1175
62. Beaty MM, Hoffman HT. Impact of laryngeal paralysis and its treatment on the glottic aperture and upper airway flow characteristics during exercise. *Otolaryngology - Head & Neck Surgery* 1999; 120: 819-823
63. Abraham MT, Gonan M, Kraus DH. Complications of type I thyroplasty and arytenoid adduction. *Laryngoscope* 2001; 111: 1322-1329
64. Friedrich G. Externe Stimmlippenmedialisation: Funktionelle Ergebnisse. *Laryngo- Rhino- Otologie* 1998; 77: 18-26
65. Billante CR, Clary J, Sullivan C, Netterville JL. Voice outcome following thyroplasty in patients with longstand-
- ing vocal fold immobility. *Auris, Nasus, Larynx* 2002; 29: 341-345
66. Hunsaker DH, Martin PJ. Allergic reaction to solid silicone implant in medial thyroplasty. *Otolaryngology - Head & Neck Surgery* 1995; 113: 782-784
67. Laccourreye O, Hans S. Endolaryngeal extrusion of expanded polytetrafluoroethylene implant after medialization thyroplasty. *Annals of Otology, Rhinology & Laryngology* 2003; 112: 962-964
68. Janas JD, Waugh P, Swenson ER, Hillel A. Effect of thyroplasty on laryngeal airflow. *Annals of Otology, Rhinology & Laryngology* 1999; 108: 286-292
69. Schneider B, Kneussl M, Denk DM, Bigenzahn W. Aerodynamic measurements in medialization thyroplasty. *Acta Oto-Laryngologica* 2003; 123: 883-888
70. Kleinsasser O, Schroeder HG, Glanz H. Medianverlagerung gelähmter Stimmlippen mittels Knorpelspanimplantation und Türflügelthyroplastik. *HNO* 1982; 30: 275-279
71. Isshiki N, Morita H, Okamura H, Hiramoto M. Thyroplasty as a new phonosurgical technique. *Acta Oto-Laryngologica* 1974; 78: 451-457
72. Wendler J, Seidner W, Nawka T. Phono-chirurgische Erfahrungen aus der Phoniatrie. *Sprache Stimme Gehör* 1994; 18: 17-20
73. Payr E. Plastik am Schildknorpel zur Behebung der Folgen einseitiger Stimmbandlähmung. *Dtsch Med Wochenschr* 1915; 43: 1265-1270
74. Isshiki N, Okamura H, Ishikawa T. Thyroplasty type I (lateral compression) for dysphonia due to vocal cord paralysis or atrophy. *Acta Oto-Laryngologica* 1975; 80: 465-473
75. Guay ME, Miller FR, Bauer TW, Tucker HM. Vocal fold medialization using autologous cartilage in a canine model: a preliminary study. *Laryngoscope* 1995; 105: 1049-1052
76. Hirano M. Surgical and Medical Management of Voice Disorders. In: Colton RH, Casper JK (Hrsg.). *Understanding Voice Problems*. Baltimore: Williams and Wilkins, 1996: 241-269
77. Isshiki N, Taira T, Kojima H, Shoji K. Recent modifications in thyroplasty type I. *Annals of Otology, Rhinology & Laryngology* 1989; 98: 777-779
78. Cummings CW, Purcell LL, Flint PW. Hydroxylapatite laryngeal implants for medialization. Preliminary report. *Annals of Otology, Rhinology & Laryngology* 1993; 102: 843-851
79. McCulloch -T-M, Hoffman -H-T. Medialization laryngoplasty with expanded polytetrafluoroethylene. Surgical technique and preliminary results. *Annals of Otology, Rhinology & Laryngology* 1998; 107: 427-432
80. Cashman S, Simpson CB, McGuff HS. Soft tissue response of the rabbit larynx to Gore-Tex implants. *Annals of Otology, Rhinology & Laryngology* 2002; 111: 977-982
81. Keskin G, Boyaci Z, Ustundag E, Kaur A, Almac A. Use of polyethylene terephthalate and expanded-polytetra-
- fluoroethylene in medialization laryngoplasty. *Journal of Laryngology & Otology* 2003; 117: 294-297
82. McCulloch TM, Hoffman HT, Andrews BT, Karnell MP. Arytenoid adduction combined with Gore-Tex medialization thyroplasty. *Laryngoscope* 2000; 110: 1306-1311
83. Selber J, Sataloff R, Spiegel J, Herman-Ackah Y. Gore-Tex Medialization Thyroplasty: objective and subjective evaluation. *Journal of Voice* 2003; 17: 88-95
84. Stasney CR, Beaver ME, Rodriguez M. Minifenestration type I thyroplasty using an expanded polytetrafluoroethylene implant. *Journal of Voice* 2001; 15: 151-157
85. Montgomery WW, Montgomery SK. Montgomery thyroplasty implant system. *Annals of Otology, Rhinology, & Laryngology - Supplement* 1997; 170: 1-16
86. Schneider B, Denk DM, Bigenzahn W. Functional results after external vocal fold medialization thyroplasty with the titanium vocal fold medialization implant. *Laryngoscope* 2003; 113: 628-634
87. Friedrich G. Externe Stimmlippenmedialisation: Operative Erfahrungen und Modifikationen. *Laryngo- Rhino- Otologie* 1998; 77: 7-17
88. Slavitz DH, Maragos NE. Physiologic assessment of arytenoid adduction. *Annals of Otology, Rhinology & Laryngology* 1992; 101: 321-327

89. Isshiki N, Tanabe M, Sawada M. Arytenoid adduction for unilateral vocal cord paralysis. *Archives of Otolaryngology* 1978; 104: 555-558
90. Mahieu HF, Schutte HK. New surgical techniques for voice improvement. *Archives of Oto-Rhino-Laryngology* 1989; 246: 397-402
91. Isshiki N. Phonosurgery: theory and practice. Tokyo: Springer-Verlag, 1989:
92. Maragos NE. The posterior thyroplasty window: anatomical considerations. *Laryngoscope* 1999; 109: 1228-1231
93. Nonomura M, Kojima H, Omori K, Kanaji M, Honjo I, Nakamura T, Shimizu Y. Remobilization of paralyzed vocal cord by anticus-lateralis muscle suturing. *Archives of Otolaryngology -- Head & Neck Surgery* 1993; 119: 498-503
94. Nasri S, Sercarz JA, Ye M, Kreiman J, Gerratt BR, Berke GS. Effects of arytenoid adduction on laryngeal function following ansa cervicalis nerve transfer for vocal fold paralysis in an in vivo canine model. *Laryngoscope* 1994; 104: 1187-1193
95. Crumley RL. Teflon versus thyroplasty versus nerve transfer: a comparison. *Annals of Otology, Rhinology & Laryngology* 1990; 99: 759-763
96. Crumley RL. Unilateral recurrent laryngeal nerve paralysis. *Journal of Voice* 1994; 8: 79-83
97. Zheng H, Li Z, Zhou S, Cuan Y, Wen W. Update: laryngeal reinnervation for unilateral vocal cord paralysis with the ansa cervicalis. *Laryngoscope* 1996; 106: 1522-1527
98. Brandenburg JH, Kirkham W, Kosch-kee D. Vocal cord augmentation with autogenous fat. *Laryngoscope* 1992; 102: 495-500
99. McCulloch TM, Andrews BT, Hoffman HT, Graham SM, Karnell MP, Minnick C. Long-term follow-up of fat injection laryngoplasty for unilateral vocal cord paralysis. *Laryngoscope* 2002; 112: 1235-1238
100. Hill DP, Meyers AD, Harris J. Autologous fat injection for vocal cord medialization in the canine larynx. *Laryngoscope* 1991; 101: 344-348
101. Shaw GY, Szewczyk MA, Searle J, Woodroof J. Autologous fat injection into the vocal folds: technical considerations and long-term follow-up. *Laryngoscope* 1997; 107: 177-186
102. Zaretsky LS, Shindo ML, deTar M, Rice DH. Autologous fat injection for vocal fold paralysis: long-term histologic evaluation. *Annals of Otology, Rhinology & Laryngology* 1995; 104: 1-4
103. Tucker HM. Direct autogenous fat implantation for augmentation of the vocal folds. *Journal of Voice* 2001; 15: 565-569
104. Chan RW, Titze IR. Viscosities of implantable biomaterials in vocal fold augmentation surgery. *Laryngoscope* 1998; 108: 725-731
105. Dahlqvist A, Garskog O, Laurent C, Hertegard S, Ambrosio L, Borzacchiello A. Viscoelasticity of rabbit vocal folds after injection augmentation. *Laryngoscope* 2004; 114: 138-142
106. Strachan D, Kamath B, Wengraf C. How we do it: use of a venous cannulation needle for endoscopic Teflon injection to the vocal folds. *Journal of Laryngology & Otology* 1995; 109: 1184-1185
107. Ford CN, Martin DW, Warner TF. Injectable collagen in laryngeal rehabilitation. *Laryngoscope* 1984; 94: 513-518
108. Ford CN, Bless DM. Clinical experience with injectable collagen for vocal fold augmentation. *Laryngoscope* 1986; 96: 863-869
109. Ford CN, Bless DM. A preliminary study of injectable collagen in human vocal fold augmentation. *Otolaryngology - Head & Neck Surgery* 1986; 94: 104-112
110. Ford CN, Gilchrist KW, Bartell TE. Persistence of injectable collagen in the human larynx: a histopathologic study.[erratum appears in *Laryngoscope* 1987 Sep;97(9):1042]. *Laryngoscope* 1987; 97: 724-727
111. Ford CN, Bless DM, Campbell D. Studies of injectable soluble collagen for vocal fold augmentation. *Revue de Laryngologie Otologie Rhinologie* 1987; 108: 33-36
112. Ford CN, Staskowski PA, Bless DM. Autologous collagen vocal fold injection: a preliminary clinical study. *Laryngoscope* 1995; 105: 944-948
113. Hackl T, Böckler R, Perez Alvarez JC. Indikationen zur Stimmlippenaugmentation mit Kollagen. *Laryngo-Rhinootologie* 1999; 78: 508-511
114. Remacle M, Marbaix E, Hamoir M, Bertrand B, van den Eeckhaut J. Correction of glottic insufficiency by collagen injection. *Annals of Otology, Rhinology & Laryngology* 1990; 99: 438-444
115. Staskowski PA, Ford CN, Inagi K. The histologic fate of autologous collagen injected into the canine vocal fold. *Otolaryngology - Head & Neck Surgery* 1998; 118: 187-190
116. Karpenko AN, Dworkin JP, Meleca RJ, Stachler RJ. Cymetra injection for unilateral vocal fold paralysis. *Ann Otol Rhinol Laryngol* 2003; 112: 927-934
117. Lundy DS, Casiano RR, McClinton ME, Xue JW. Early results of transcutaneous injection laryngoplasty with micronized acellular dermis versus type-I thyroplasty for glottic incompetence dysphonia due to unilateral vocal fold paralysis. *J Voice* 2003; 17: 589-595
118. Hertegard S, Dahlqvist A, Laurent C, Borzacchiello A, Ambrosio L. Viscoelastic properties of rabbit vocal folds after augmentation. *Otolaryngology - Head & Neck Surgery* 2003; 128: 401-406
119. Hertegard S, Hallen L, Laurent C, Lindstrom E, Olofsson K, Testad P, Dahlqvist A. Cross-linked hyaluronan used as augmentation substance for treatment of glottal insufficiency: safety aspects and vocal fold function. *Laryngoscope* 2002; 112: 2211-2219
120. Hallen L, Dahlqvist A, Laurent C. Dextranomeres in hyaluronan (DiHA): a promising substance in treating vo-

- cal cord insufficiency. *Laryngoscope* 1998; 108: 393-397
121. Hallen L, Johansson C, Laurent C. Cross-linked hyaluronan (Hylan B gel): a new injectable remedy for treatment of vocal fold insufficiency--an animal study. *Acta Oto-Laryngologica* 1999; 119: 107-111
122. Duke SG, Salmon J, Blalock PD, Postma GN, Koufman JA. Fascia augmentation of the vocal fold: graft yield in the canine and preliminary clinical experience. *Laryngoscope* 2001; 111: 759-764
123. Reijonen P, Leivo I, Nevalainen T, Rihkanen H. Histology of injected autologous fascia in the paralyzed canine vocal fold. *Laryngoscope* 2001; 111: 1068-1074
124. Rihkanen H. Vocal fold augmentation by injection of autologous fascia. *Laryngoscope* 1998; 108: 51-54
125. Rihkanen H, Kaliste E, Leivo I. Processing of fascia for vocal fold injection. A study in vitro and in paralyzed canine vocal folds. *Annals of Otology, Rhinology & Laryngology* 2003; 112: 729-733
126. Rodgers BJ, Abdul-Karim FW, Strauss M. Histological study of injected autologous fascia in the paralyzed canine vocal fold. *Laryngoscope* 2000; 110: 2012-2015
127. Tamura E, Kitahara S, Kohno N, Ogura M, Hiroi S. Use of freeze-dried autologous fascia to augment the vocal fold: an experimental study in dogs. *Acta Oto-Laryngologica* 2002; 122: 537-540
128. D'Antonio LL, Wigley TL, Zimmerman GJ. Quantitative measures of laryngeal function following Teflon injection or thyroplasty type I. *Laryngoscope* 1995; 105: 256-262
129. DeJonckere PH. Teflon injection and thyroplasty: objective and subjective outcomes. *Revue de Laryngologie Otologie Rhinologie* 1998; 119: 265-269
130. Wenig BM, Heffner DK, Oertel YC, Johnson FB. Teflonomas of the larynx and neck.[see comment]. *Human Pathology* 1990; 21: 617-623
131. Kasperbauer JL, Slavit DH, Maragos NE. Teflon granulomas and overinjection of Teflon: a therapeutic challenge for the otorhinolaryngologist. *Annals of Otology, Rhinology & Laryngology* 1993; 102: 748-751
132. Netterville JL, Coleman JR, Jr., Chang S, Rainey CL, Reinisch L, Ossoff RH. Lateral laryngotomy for the removal of Teflon granuloma. *Annals of Otology, Rhinology & Laryngology* 1998; 107: 735-744
133. Eckel HE, Sittel C. Beidseitige Rekurrenslähmungen. *HNO* 2001; 49: 166-179
134. Nawka T. Endoskopische Mikrochirurgie des Larynx mit dem CO₂-Laser. *Habilitationsschrift, Medizinische Fakultät der Humboldt-Universität zu Berlin* 1993
135. Nawka T. Endoscopic management of bilateral recurrent nerve paralysis with the CO₂ laser. In: Rudert H, Werner JA (Hrsg.). *Lasers in Otorhinolaryngology, and in Head and Neck Surgery*. Basel: Karger, 1995: 170-173
136. Isshiki N. Progress in laryngeal framework surgery. *Acta Oto-Laryngologica* 2000; 120: 120-127
137. Neumann HJ. Intraoperatives neurophysiologisches Monitoring (IONM) des Nervus recurrens und Mikrodissektion. Operationstechnische Verfahren zur Risikominderung von Recurrensparesen. *Laryngo-Rhino-Otologie* 2000; 79: 290-296
138. Hoffman H, McCabe D, McCulloch T, Jin SM, Karnell M. Laryngeal collagen injection as an adjunct to medialization laryngoplasty. *Laryngoscope* 2002; 112: 1407-1413
139. DeJonckere PH, Crevier-Buchman L, Marie JP, Moerman M, Remacle M, Woisard V. Implementation of the European Laryngological Society (ELS) basic protocol for assessing voice treatment effect. *Rev Laryngol Otol Rhinol (Bord)* 2003; 124: 279-283
140. WHA54.21Resolution, International Classification of Functioning, Disability and Health (ICF) - Introduction. 2001, <http://www.who.int/classification/icf/intros/ICF-Eng-Intro.pdf>